

Area Designations													
1. Ish Reservoir			14. East Arapahoe			27. Table Mountain			39. Lefthand Canyon				
2. Northeast Longmont			15. Louisville			28. Upper Lefthand Valley			40. Fourmile Canyon				
3. Southeast Longmont			16. Rock Creek/Turnpike			29. Mesa Reservoir			41. Boulder Canyon/Sugarloaf				
4. Panama Reservoir			17. Dowe Flats			30. N. and Central Boulder			42. Gross Reservoir				
5. Lower Boulder Creek			18. Hygiene			30a. Boulder Creek and CU			43. Allenspark				
6. Prince Lakes			19. Clover Basin Reservoir			31. South Boulder			44. Rocky Mountain National Park				
7. Lafayette			20. Lower Lefthand Valley			32. Eldorado Springs			45. Upper Middle St. Vrain				
8. Broomfield			21. Gunbarrel			33. Lyons			46. Upper South St. Vrain				
9. Terry Lake			22. Boulder Reservoir			34. Buckingham Park			47. Upper North Boulder Creek				
10. Northwest Longmont			23. Sawhill Ponds			35. Foothills Subdivisions			47a. CU Mountain Research Station				
11. Southwest Longmont			24. Valmont Reservoir			36. Boulder Mountain Park			48. Upper Boulder Creek				
12. Niwot			25. Baseline Reservoir			37. Buttonrock Reservoir			U. Union Reservoir				
13. White Rocks			26. Marshall Mesa			38. South St. Vrain Canyon							
Abbreviations: Pl--plains, Ft--foothills, Mts--mountains, IPC--Indian Peaks bird counts, BCBC--Boulder Christmas bird count, BIRD--Boulder County Audubon birdathon													
Turkey Vulture (Cathartes aura)													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
1981				pl,ft, 37	thruout	pl,ft	thruout	pl, 33, 36	pl, 35-6				32
1982		35		pl,33, 37	pl,37, 42	18, 19, 37, 48		25, 36-7, 48	14				
1983				pl,ft, 37	thruout	thruout	19, 36, 42, 48	22, 36	36, 48		22		
1984				pl,ft, 37	thruout	25, 28, 33, 42	5, 33, 40, 42	37, 42	pl,ft	21, 42			
1985				pl,ft,	pl,ft	pl,ft	29, 36	pl,ft	16, 21				
1986				thruout	thruout	IPBC	36, 48	12, 20, 36, 42	pl, 36	28			
1987				13, 36	thruout	31, 37, 39	5, 18, 34, 37	thruout	thruout				
1988				thruout	thruout	thruout	8, 34, 46	thruout	thruout	16, 32			
1989				thruout	thruout	16, 36, 48,IP	1, 13, 16, 36,U	1, 4, 16, 36	16, 31, 36, 48				
1990				thruout	thruout	thruout	thruout	pl,32	pl,36, 42	17			
1991			33, 35-6	thruout	pl, 33,36	23, 33, 36, 42	2, 4, 36	8,	thruout				
1992				36, 42,U	thruout	thruout	thruout	thruout	thruout				
1993			21	pl,ft	thruout	thruout	pl,37	pl, 36, 37	thruout	19, 37, 36			
1994				pl,ft	thruout	32, 35,IP	32, 35-6,U	23, 30,U	thruout	22, 31			
1995			11	pl,ft	thruout	31, 32, 36	13, 36, 42	thruout	23, 25, 30, 32	23, 25			
1996				pl,ft	thruout	thruout	thruout	pl	thruout				
1997			25	thruout	thruout	thruout	thruout	thruout	thruout	11, 25,U			

1998				thruout	thruout	thruout	thruout	thruout	thruout	24, 30		
1999				thruout	thruout	thruout	thruout	25, 30, 31, 36	thruout	17		
2000				thruout	thruout	thruout	thruout	thruout	thruout	pl, 36		
2001				pl,ft	thruout	thruout	12, 23, 36-7	25, 32, 36	thruout	22, 42		
2002			30	thruout	thruout	36-7, 46	36-7, 42	thruout	pl, 33	9, 25, 30		15
2003			30	pl, 37	pl,mt	31, 34-5,IP	23, 31, 37	5, 30-1, 35, 37	15, 24, 31, 34			
2004				pl, 35	thruout	thruout	thruout	pl,ft	pl,ft	20, 30, 31		27
2005		26	22, 34	thruout	thruout), 26, 30-1, 36), 24, 30-1, 37	pl	6, 11, 20, 30-1	30		
Bald Eagle (<i>Haliaeetus leucocephalus</i>)												
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1979											9, 25	22, 37
1980	19	19, 31	pl	U						27	20	25, 27-8
1981	pl	pl, 37, 40									36	27-8, 34-5
1982	pl, 36	pl, 34	22, 27-9									34
1983	24, 29	22, 37	35									38
1984	20, 22, 35	3, 21, 23, 27-8	27, 29							40	23, 27, 29	pl, 40, 42
1985	pl,fh	pl	pl							20	pl	pl, 40, 42
1986	pl, 37	thruout	pl, 43	19	IPSC						thruout	thruout
1987	pl, 37	thruout	pl,34	32							26, 37	13, 23, 25, 27
1988	pl	thruout	pl, 36							16, 17	thruout	pl
1989	16-18, 24, 26	pl	4, 13, 16, 31	4						18	pl, mt	pl
1990	20, 22, 24, 26	pl,ft	pl,35	4, 18, 22	35, 42						thruout	thruout
1991	pl, 33	pl	pl, 33, 37	32,U	31					17	pl,36	pl
1992	pl	pl	pl, 32, 39	35						8	22,U	pl
1993	16-7, 22, 29	pl	17, 23-5,U							8	24, 30	pl,ft
1994	pl	pl	pl							19, 22	pl	thruout
1995	pl, 37	pl	47,U	25						37	thruout	thruout
1996	pl	pl	pl								pl	pl
1997	pl,ft	pl	22-3, 25				31			17,U	pl	pl
1998	pl, 33	pl	3, 18, 23-4, 32	23, 33	13					18	pl	pl, 37
1999	pl, 33	pl	pl	25,U	IPSC				22		16, 18, 22	thruout
2000	pl	pl	pl,mt			IP				0.36	pl,36	thruout
2001	pl	pl,ft	pl	12, 18, 23	23					24, 26	pl, 33	thruout
2002	pl,mt	pl,ft	pl	22-3	23, 26			25		pl	pl	pl,ft
2003	pl	pl	pl, 33	16, 24, 26		12	26	23	24, 47	26, 32	pl,ft	pl,ft
2004	pl,ft	pl, 34	pl	12, 26	12, 23, 26, 32	12, 26,IP		23	24, 26	20, 23, 36	19, 22	pl,ft

2005	pl	pl	18, 22	12, 18, 23, 31	13, 18, 23, 32	8, 23, 26			26	pl	22, 23, 25, 28	
Northern Harrier (Circus cyaneus)												
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1981	pl	pl	pl	pl		19	19	19, 27	pl, 32	pl, 36	pl	pl
1982	pl	6, 23, 28	4, 6, 17, U	4, 12, 18-9, 36	22	0.41	19	36, 48, U	thruout	21, 25, 48	pl, 9	9, 20, 22-3, 25
1983	20	pl	14, 19, 22	thruout	9, 12, 17, 22	22	19, 22, 44	22	20, 22, 29, 48, U	pl, 46	pl	pl, 37
1984	2, 19, 20-2, 24	19, 20, 22, 35	6, 23, 27-8	pl	pl, 47	22		42	thruout	pl	pl	thruout
1985	pl	pl	22, 23	pl, 35	19, 20, 22	19, 22	22	12, 22	thruout	22, 31	21-2, 27	
1986			26, 28	22, 35	5, 19, 22	19	36		22, IPFC	23, 32	19, 25	pl
1987		22	12, 19, 23, 26	13, 22	13				47, IP	pl	pl	13, 22-3, 27
1988	13, 18	1, 22	13	12, 24, 36	4, 16				thruout	pl	pl	13, 23, BCBC
1989	9, 18, 25	18, 31	13, 26-7, 29	36	Birdathon	19			22, 25, 34, 36, 39	22, 25	pl	20, 21, BCBC
1990		19, 22, 26	19	19, 22	18, 22, 36			17	pl	pl	pl	pl
1991	29	13, 17, 19	2	13, 24, 31	33			22, 42	18, 23, 4	13-4, 17, 19	19, 22, 25, U	pl
1992	17, U	1, 22-3, 25, U	22	29	9			48, U	32, 39, 42, IP	pl	pl	19, 23, BCBC
1993	22, 24	22, 29, U	13, U	5, 12, 22, 35	9, 17, 22, 27	22, 36	22	26, 36	18, 26, 42, U	pl	5, 22-3, 25	14, 22-3, U
1994	U	pl	19, 22, U	19	4, 22, 29, U	19, 22, 35	22, U		pl, IP	pl, 36	pl	pl
1995	2, 19, 29, U	13, 19, 27, U	6, U	8, 11, 22, U	19, 29, U	29	19, 20	U	19	pl, ft	pl, 42	pl
1996	4, 6, 20, 22-3	23, 25	pl	pl, 42	17, 22-3, 28	22, 31			17, IP	19, 22, 25, 29	pl	pl
1997	17, 22, 25	pl	pl	pl, 36, 42	12, 17, 20, 22	28		22, 32	U	pl, 42	pl	1-3, 25, BCBC
1998	13, 22-3, 25	14, 22	22, 24	14, 22, U	22, 23, 27, 31			26, 42	pl, ft	thruout	thruout	23-4, 26, 42
1999	22	pl	8, 12, 23, 33	22-4, 31, U		U		42	pl, 42	pl, 42	19, 22, 31, 42	pl
2000	12, 17, 22, 25	17, 23, U	12, 23	22-3, 31, 42	18, 23, 32	23, 42	€26	42	thruout	pl, 42	pl, 42	pl
2001	pl	pl	pl, 42	pl	19, 20, 22	17, 22	22		8, 42, IP	pl	pl	pl
2002	pl, 42	22, 31, 000000	6, 17, 23, 25	2-3, 26, 31, 42	22, 29	22, 42	42	28, 42	40, 48	pl	pl	pl
2003	12, 14, 24-5	23	18-9						17	12, 25	8, 12	13, 18, 23, 31
2004	pl	pl, 42	17-8, 23, 27	20, 22-3	22-3	22	22, 26	22		U	19, 22, 26	8, 23-4, BCBC
2005	8, 23, 29	pl	19, 22-3	12, 19, 22, 29	31				8, 39	pl, 36	19, 22, 26	
Osprey (Pandion haliaetus)												
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1979								23		23		18
1980						23			19, 25	19		
1981				23			48		35-6	18, 36		
1982				4, 29	41				31, 48	23		
1983				19, 23, U	22				23-4			

1984				pl	23, 25, 41			47		22-3	18, 23		
1985				23, 46			23			23	23		
1986				14, 23, 31, 36	23		46	46		14			
1987							IP	23		14, 23	10		
1988				23, 25	23					IP	13, 23		
1989	24			23, 25-6, 48	19, 25		48			23			
1990	28		42	22-5, 42	19, 23, 25,U					33	23		
1991				18, 23, 33	25					11			
1992				22, 42	IP	IP				23, 39, 46,IP	23		20
1993				23, 25,U	48						19,U		
1994				35	23	IP			23		U		
1995			23	5, 23,U	11, 22-4, 26	23,IP				23-4, 29,IP	23		
1996			28	pl, 35	22-4, 46	22, 31, 47		18	22-3	36	14, 23		
1997				19, 23-5	pl, 39	23-4		22	19, 23	U			
1998	13			pl	pl,ip	19, 22, 24, 42	22, 42	19, 22, 42		pl, 39	20, 23		
1999			24	pl	pl,IP	9, 22-4, 46,IP	22-4, 46	22-4		12, 22-3,U			
2000				20, 22-4	18, 20, 22-4	2, 20, 22-3,IP	20, 23	11, 20, 23		25, 47-8	19, 20,U		
2001				pl, 35	18-9, 22, 24	9, 22-3, 28,IP	22	23		31,IP	23-4	18	
2002				pl	pl,€42	19, 22, 39,IP	18-9, 22-3	22-3, 41		18, 25, 48	5, 23		
2003				12, 19, 23-4	19, 24, 39,IP	11, 22, 24,IP		11, 19, 23		22,U		13, 23	
2004			18-9, 22	pl, 35	22-4	12, 30,IP	19, 20, 22	1, 13, 20, 22-3		24,U			
2005			11-2, 19, 22	pl,ft	pl, 39	20, 22	20, 22-3, 25		pl	20, 23,U	23		
Sharp-shinned Hawk (Accipiter striatus)													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
1981			25	12, 20, 30, 36	37	36			3, 27, 35-6, 41	42	30-2, 36	14, 25, 31, 36	
1982	25, 29-30, 36	25	25	pl,ft	30, 48	40, 48	48	48	36, 40-1, 46, 48	30, 36			30
1983	33			25, 32, 37, 48	thruout	48	36,mt		48				20, 30, 36, 48
1984		30-1, 48		thruout	thruout	IP	20, 33, 40	42	22, 30, 39, 40, 42	22	42		30, 32
1985	33, 35	24, 35	34	33-6, 40, 42	30, 32, 34, 39	40		40	38, 44, 48	32, 33			30, 40,BCBC
1986	31, 33	31, 36		22, 30, 35	39, 48	48,IP	30	36	32, 36, 39, 40	28, 30, 32, 48			23,BCBC
1987	24, 33	30	30	39	32, 40, 47-8	IB		44, 46, 48	thruout	U	30, 36		17, 27, 31
1988	30-1, 41	31, 36, 42	30, 36, 48	thruout	30, 47-8	39, 48	31	33, 36, 48	thruout	21, 42	1, 30, 35		13, 30
1989	30	10, 30	30, 36	18, 30, 36, 43	thruout	36, 48,IP	36	36, 43	30, 36, 39, 47-8	28	31, 35		20, 23,BCBC
1990			6, 25, 36	5, 30, 35-6, 42	thruout				30, 40-2	33, 36	31, 33		pl,ft
1991		10, 23	10, 30	18, 33, 35	33,IP	25,IP			33, 41, 46	19	24		10, 24, 31, 33
1992		31	31	4	IP	42,IP		33, 40	33-4, 39,IP	31	23-4, 30, 32		23, 30,BCBC

1993	31	30-1	6, 29	22, 30, 35-6	24, 43, 48	IP	€37	36	U,IP	pl,ft	23, 31	13, 23, 29-31
1994	11, 30-1		24	35-6	thruout		30		18, 32,IP	23, 31, 36	9, 10, 36	3, 25, 30-1, 35
1995	11, 30-1	11,U	0.11	pl, 36	thruout	46,IP		42	23, 31, 39, 46	30, 32		22, 29, 31, 36
1996	31, 36	30-1	23, 29	17, 36	23, 31, 36, 39	36, 39, 47			24, 31, 39,IP	26, 29, 36	10, 31, 35-6	4, 21, 23, 31
1997	31, 36	31	36	3, 30-1, 33, 36	24, 29, 36	36		42	26, 32, 36, 39	, 17, 30, 36,U	30, 33	22, 30
1998	31		30, 31	3, 26, 30, 35-6	23, 33, 36	36,IP	42	23, 36, 42	17, 33, 36, 39	26, 32, 36	22, 23, 36	30, 42
1999	23, 30, 38	11, 18, 20, 31	8, 14, 24,€30	thruout	thruout	42, 47	41	36	thruout	17, 25, 32-3	23, 31,U	21, 30, 31, 37
2000		31	31	31, 35, 36, 42	thruout	46	37	23, 33-4	thruout	1, 23-4, 34, 42	24, 33	thruout
2001	23, 34	37	30-1, 37	thruout	31-2, 37, 39	IP	26		36, 39,IP	23, 31, 36	23, 31,U	pl,ft
2002	31	30	30	19, 23, 31, 33	36, 39, 40	IP	42	32, 37	30, 36, 40	5, 26, 32, 37	23, 25	13, 23, 31
2003	31		3	34, 36	24, 30, 32,IP	31			17, 39	34	23	12, 23, 31, 36
2004	31	34		10, 20, 35	20, 30, 36, 42				32, 36	20, 23, 31	25, 30	18, 20,BCBC
2005	15, 23, 31	3	33	26, 31, 35,37	30-3, 36	36, 46		24	27, 32, 36-7, 46	19, 20-1, 23		
Cooper's Hawk (Accipiter cooperii)												
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1981	25			6, 30, 33-4, 36	31, 36, 47			36, 38, 48	27, 35-6	42		
1982		36		37-8	31, 34, 36	43, 48		36	thruout	25, 31	25, 30	
1983			29		36-7, 40, 48	38, 48	mt		36, 41			25
1984	30-1		27, 36	27, 30, 48	3, 36, 40-2, 48	30			17, 36, 40, 42, 48	17		
1985	35		36	34, 36, 42	35, 41-2	39	48		17, 38, 44, 48	25, 48	30	39,BCBC
1986	36, 47		36, 48	36	33, 36, 47,48	IP	36	36	thruout	32, 37, 48	31	12, 31
1987	31			35, 45, 48	39, 48	36,IP	43	42, 48	30, 48,IP		30, 48	LCBC
1988	30, 47	36	30, 36	36, 48	36, 48	39, 48	43	48	36, 47-8	34, 48	23	BCBC
1989	21, 33		36	thruout	30, 36, 39, 48	36, 39, 44, 48	36	30	36, 42, 48	40		23,BCBC
1990	32	30	31	22, 31, 34-6	thruout	42, 47-8			30, 39		27	
1991			42	14, 23, 35-6	23, 32, 46				thruout	14, 36	36	17, 30
1992				25, 42	39	33, 36,IP	40		36, 39-40			36,BCBC
1993	IP		13, 36	25, 30, 35,U	17, 31, 36, 39	40	31	pl	26, 37,IP	31, 32		
1994				35	32	IP	36		IP	36	36	2, 30, 34
1995					12, 36, 39	IP			12, 23, 29,IP			30
1996	36			17, 23	32, 36, 39, 43	39, 47	40	23	42,IP	30, 36		23,BCBC
1997				26, 31, 36, 40-1	36, 41, 45	18, 36		36	thruout	17, 30	8	BCBC
1998	35		36	23, 30-1, 37	23, 36,IP	42		42	26, 37	23	42	23
1999		31	11, 18, 31	30, 36	36, 42, 47	IP			34, 36	17, 33		13,BCBC
2000	IP		5	35	31-2, 36, 47	IP	42	33	thruout	42	22	BCBC
2001				23, 31, 35, 37	32, 39, 41,IP	37,IP		37	23, 42,IP	23	30	4-5, 37,BCBC
2002			30, 31	thruout	32, 36, 42, 44	24, 37,IP	36	25, 37	36, 39, 40, 48	25	23	BCBC

2003	30	10, 23	31	31	1, 36-7, 39, IP	IP			17, 23, 39		23	23, BCBC
2004	IP	32	31	33, 35, 40	26, 31, 36, 39	32, IP	36	32, 36, 40	30	30	25	BCBC
2005	15	3, 15	30	22, 31-2, 35-6	30	30, 32-3, 36	36, 47	20	23			
Northern Goshawk (Accipiter gentilis)												
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1981					36, 37				35			48
1982			34, 37	38, 48	46, 48	40, 46		48	12, 40-1, 46	41	48	21
1983	48			32, 38, 48	48	47, 48	47, 48	47	44, 48	47-8		32, 48
1984	48	36, 47-8	47	30, 36, 48	36, 41, 47-8	IP			IP	36	40, 42, 48	30, 48
1985			48	21, 42	39, 47	36		47	36, 47	32		31, 48
1986		48	46	36	32, 36, 47-8	IP	35			48	43	17, 48
1987	39, 48		30		36, 48	36	43, 48	43, 48	30, 32, 43, 48			BCBC
1988	36, 41	42	36	36, 40, 42, 48	48		36, 43-4, 48	48	40, 48	48	30	
1989	48		36	36, 47	32, 36, 42, 48	36, 48			36, 48		48	26, 35-6
1990	30	30	48	35, 42	36, 42, 46-7		42	33	44		34	BCBC
1991				33	41	36, 39			IP	30	42	
1992	46		30		IP	38, IP		48	42, IP		36	17, 36, BCBC
1993	23			36		48			IP			18, 30
1994	IP		37		39	IP			IP	36	36	18, 32, 41-2
1995				30	36, 42, IP	41-2, IP	42		36, IP			
1996			36	36, 42	36, 42	21, 36, 39, 47	42	36	IP	36, 42		36, 42
1997	36, IP	36		31, 42	36, 42			42	IP	42		BCBC
1998	10				47, IP	IP	36					
1999			41			39, IP			37	42		BCBC
2000	36			37	35, 42, 46	42, IP		37, 42	42, 47			BCBC
2001	IP		42	34	IP	IP		30	42, IP		42	13, BCBC
2002				42	39, IP	IP	42	42	48			30, 42
2003	IP			34	39, IP	36, IP	14			32		
2004	IP	46	42		42							
2005					32	42		39				
Zone-tailed Hawk (Buteo albonotatus)												
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2002								32				
Red-shouldered Hawk (Buteo lineatus)												
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec

1996			19									
1997											24	
1998					36							
1999					23				36			
Broad-winged Hawk (Buteo platypterus)												
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1979				36								
1980				27	30				27			
1982				30								
1983				32	27, 32							
1984				42	36							
1985				34								
1986									36			
1988					36							
1989				13	28, 32							
1990				35	25, 33, 36							
1991				35								
1993					39							
1994				35	33							
1995					25							
1996				36	5, 23							
1997				36	30							
1998					30, 36							
1999					25, 30, 32							
2000					33				33			
2001				33, 37	36							31
2002				23, 30	36		39		36, 39-40			
2003					33				17			
2004				35	30							
2005				32-3, 35-6	15, 20, 30				11			
Swainson's Hawk (Buteo swainsoni)												
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1979				4-6, 35	4, 6, 28		0.41	6, 19, 27	6, 21, 27,U	25		
1980				20, 27, 30, 36	32, 36			4, 6, 8, 21	22-3, 25, 30	16		
1981				4, 6, 18, 34	6, 21, 23	6, 4	4-5, 12, 16	21, 27, 33, 48	6, 12, 14, 27, 41			

1982				4, 10, 12, 37	3, 22-3, 37, 48	4, 12	0.12	6	6, 12		12	
1983				21, 42	4, 24	4, 12	0.16	21	6, 14, 36	22		
1984				6, 18, 25, 40	pl	4	6-8, 17, 21		12	30	27-8	
1985				6, 22, 31	4, 6, 15-6, 21	16, 28	pl	pl, 37	4, 22			
1986				pl,ft	6, 12, 22, 30	25	20, 22	12-3, 20, 22	pl, 36	22		
1987				pl	pl	8, 16, 22	6, 14, 22	4, 6, 16, 19	8, 14, 16, 47	13		
1988			36	pl, 36	pl	4, 22	8, 12, 22	thruout	thruout			
1989				pl	pl, 42	4, 12, 16, 22	pl	pl	4, 12-3, 27			
1990				22, 35-6, 40, 42	pl, 35	9, 14, 26	2, 14, 16-7, 25	6, 12, 18	pl	10	12	
1991				pl, 35-6, 40, 42	pl, 33, 46	25	8, 9, 14, 25	6, 8, 12	14, 16, 23, 39			
1992				pl	pl	6, 12, 20, 25	1, 12, 16, 19,U	pl	pl	4		
1993				pl	pl	8, 13, 22	12, 13, 25	5, 19, 31,U	5, 13, 26, 31,U			
1994				5-6, 12, 20, 35	pl	12, 19-20	12, 22,U	3,U	10, 23,U	22		21
1995				pl	pl,IP	6	5-6, 10, 19-20	10, 20, 30-1	5-6, 23, 31			
1996				2, 12, 20, 25	5-6, 8, 16,23	22-3, 39	4, 18, 25	6, 8, 12, 23,U	9, 39,U			
1997				pl, 35, 41	pl	2, 5,14	12-13, 19-20	22-3	pl	2, 5, 8, 22,U		
1998				pl	thruout	4, 5, 8,U,IP	4, 6, 22, 25	12, 22, 24	8, 14, 18, 20	23		
1999			U	4, 21, 25	pl,IP	5, 12-3, 25,U	pl	pl, 33	2, 5, 7, 23, 42			
2000				4, 6, 10, 13-4, 33	pl	2, 20, 22	5, 18,U	6, 10, 21-2	pl, 42	22		
2001				8, 13, 16, 20, 30	pl	17, 37	24	10, 23-4	4, 8, 23	24		
2002				pl	pl, 40	21-3	pl	pl, 42	12			
2003				pl	9, 24, 32	12, 15			4, 17, 19			
2004				pl	pl, 36	pl	18, 20, 30	20, 22-3, 32	6, 10, 20, 23	23		
2005				pl	pl, 33, 46	20,31000000	13, 19-20, 23	pl	6, 8, 20			
Red-tailed Hawk (Buteo jamaicensis)												
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1981	pl,36-7	pl	pl, 33	pl,33, 37-8	28, 33, 37, 39	thruout	thruout	thruout	thruout	pl	pl	pl
1982	thruout	pl, 34	thruout	thruout	thruout	28,mt	16,mt	18, 25, 27, 48	thruout	pl, 32	20, 22, 25, 30	pl, 34
1983	pl, 24-5, 30, 43	pl,30, 36	thruout	thruout	thruout	thruout	thruout	48	thruout	pl, 47-8	pl	thruout
1984	pl, 13	thruout	thruout	thruout	thruout	thruout	thruout	7, 39, 41-2, 48	thruout	thruout	thruout	thruout
1985	thruout	thruout	thruout	thruout	thruout	thruout	thruout	thruout	thruout	pl	pl, 32	pl, 32
1986	thruout	pl	pl, 47-8	pl, 48	thruout	thruout	36, 48	4, 13, 22, 36	thruout	thruout	pl, 48	pl
1987	pl	pl, 33	thruout	thruout	thruout	thruout	13, 18, 34, 48	thruout	thruout	pl, 48	pl, 48	pl
1988	pl	thruout	thruout	thruout	thruout	thruout	thruout	thruout	thruout	thruout	pl	pl
1989	pl, 42	pl	pl, 48	thruout	thruout	thruout	16, 19, 36	thruout	thruout	pl, 48	pl	pl, 42
1990	pl, 41	thruout	pl,34	thruout	thruout	thruout	thruout	thruout	thruout	thruout	pl, 48	thruout

1991	10, 17-8, 33	pl,ft	thruout	thruout	thruout	thruout	thruout	9, 12, 14, 45-6	6, 8, 23	thruout	thruout	pl, 33	pl
1992	pl,IP	pl, 35	pl	pl, 42	thruout	thruout	thruout	4, 27, 32-3, 39		thruout	pl	pl	pl,ft
1993	thruout	pl, 40	thruout	thruout	thruout	thruout	pl,mt	3, 27, 37, 46,U		thruout	pl,ft	pl	pl
1994	pl,IP	pl,ft	pl,ft	l, 35	thruout	thruout	pl,ft	25, 32, 36,U		thruout	thruout	pl, 36	thruout
1995	pl, 36	pl	pl	pl	thruout	thruout	25, 29, 31, 42	29, 32	23, 36, 39,U,IP	thruout	pl,ft	thruout	thruout
1996	23, 25, 31, 36	pl	thruout	thruout	thruout	23, 39, 44, 47	3-4, 25, 40, 42	23, 28, 35, 42		pl,mt	thruout	pl, 38	pl, 42
1997	3, 22-3, 25, 27	pl,ft	pl,ft	thruout	thruout	thruout	pl	thruout		thruout	pl,mt	pl	pl
1998	pl, 33,IP	pl, 36	thruout	thruout	thruout	thruout	thruout	pl, 42	23, 31, 33, 37, 42	pl, 42	thruout	thruout	thruout
1999	pl,mt	thruout	thruout	thruout	thruout	thruout	26, 31, 34, 42	thruout	thruout	thruout	thruout	thruout	thruout
2000	thruout	thruout	thruout	thruout	thruout	31, 36, 42,IP	26, 34, 42	thruout	thruout	thruout	thruout	pl, 42	thruout
2001	thruout	thruout	thruout	thruout	thruout	thruout	31,36	22-4, 26, 37		thruout	thruout	thruout	thruout
2002	pl,mt	pl, 42	thruout	thruout	thruout	thruout	thruout	thruout	thruout	thruout	pl	pl	pl,BCBC
2003	thruout	pl	pl,ft	pl,ft	thruout	23, 31, 39,IP	33, 36	26, 30	pl, 39, 47	pl,ft	pl	pl,ft	pl,ft
2004	thruout	pl, 34	thruout	thruout	thruout	thruout	thruout	thruout	9, 22, 32-3, 35	pl,ft	pl, 37	pl, 37	pl,BCBC
2005	pl,mt	pl	18, 22-3, 25-6	thruout	thruout	thruout	pl,mt	pl, 42		pl,mt	pl, 37	pl, 37	
Ferruginous Hawk (Buteo regalis)													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
1981	pl	pl	pl	18-9, 21	32			27	19, 27	20-1, 24, 27	19, 21-2, 28	14, 27-9	
1982	19, 22, 28	pl	20, 27, 48	27	48				18, 41	21, 28	19-22	20, 23, 27	
1983	20, 26-7	22, 27-9	17, 22		16, 48					19, 28-9	20-1	20, 22	
1984	20, 22-3, 29	9, 20, 22, 27-8	23, 27,29	8, 28		29			22, 29	20-2, 28-30	19, 21-2, 27-9	pl	
1985	pl	pl	9, 22, 27-9, 36	25, 36	28			4, 20, 28	20, 22, 29,36	pl	pl	pl	
1986	pl	pl	pl,ft	22, 30	20, 22				6, 19, 25, 28	pl	pl	pl	
1987	pl	pl	pl						14, 16, 22	4, 8, 16-7, 22	pl	13, 23-4, 27	
1988	pl	pl	16, 23, 32, 36		31, 41				16, 27	pl	pl	pl, 36	
1989	pl	pl, 33	15-7, 22, 27	26	16, 36				16, 19	16, 22, 34	pl	pl	
1990	pl	pl,33	6, 16-7, 30	8, 35-6	8				6	17, 27, 33	pl	pl	
1991	11, 17-8, 33	pl	pl	5, 8, 16, 41					1, 16, 18,34	pl	13, 22-3, 28	pl	
1992	pl	pl	pl						16,U	pl	pl	pl	
1993	pl	pl	16-7		14, 18-9, 24	8			18,U	pl	16, 20, 22, 25	pl	
1994	pl	pl	17, 23,U		16, 39				23, 36	22, 32	pl	pl	
1995	pl	22			4	4					pl	pl	
1996	24	14-5, 22, 24	19, 22-4	17						22	pl	pl	
1997	17-8, 22, 32	pl	23-4, 26		25, 46					22	pl, 33	23, 29,BCBC	
1998	13, 22	18, 22, 25-6	5, 21	24			U		23, 25	6, 22, 24	pl	26, 28,BCBC	
1999	20, 22, 24	20, 24	11, 22-3		IP				22	8, 33	pl	24, 26,BCBC	

2000	8, 22	22	23						17	23-5	19, 22, 24, 28	pl
2001	18, 22	pl	12, 17, 27			36				24, 26, 30	7, 19, 22, 26-7	pl
2002	6, 18	18, 28, 30	16-8						21	13-4, 19		pl
2003	9, 14, 24-5, 30	pl	17, 23, 26, 29						13		19, 20, 22, 27	22, 24, BCBC
2004	pl	pl	27						13	23	19, 22	14, 27, BCBC
2005	24, 29	11, 17, 20		35					25	8, 16, 19		
Rough-legged Hawk (Buteo lagopus)												
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1981	pl	pl	2, 18-9, 22, 27	11, 21						19, 20	pl	thruout
1982	pl	pl	5, 16, 22, 27-9				48		48	14, 21, 23-4	19, 21-2, 30, U	20, 27
1983	20	20, 22, 27, 29	21-3, 28		16				20	22, 28	20, 22	pl
1984	20-2, 24, 32	27-8	16, 20	32, 36	42				17, 21-2, 36	8, 17, 22, 28	pl	thruout
1985	pl	9, 20, 22, 27-9	22, 26, 28, 42	35	BSC						pl	pl
1986	8, 20-2	pl	20, 22, 28, 32							pl	pl	pl
1987	pl	pl	pl						30	16, 22	pl	24, 32, BCBC
1988	pl	pl	4, 22						36	15, 18	pl, 48	pl
1989	thruout	pl, 33	pl, 42	13, 18		42			27	22	pl	pl
1990	pl	16, 19-20, 27	pl						27	19	18, 28, 33, 42	pl
1991	17-8, 29	pl	16, 26							13	18, 22, 27-8	17, 22-3, 28, U
1992	6-7, 19, 22, IP	8, 19, 22	16, U							22	25, 27	pl
1993	18, 22, 29	pl	18, 32							20, 22	22, 24, 27	pl
1994	2, 22, 26, U, IP	pl	18, 22, U						IP	20	19, 22, 36, U	pl, 37
1995	pl	1, 20, 22, 25, U	U								22, 26	pl
1996	14	18, 23	19, 24-5								pl	pl
1997	18, 22, 25, 32	pl	19, 25								17, 22, 28	23, 32, BCBC
1998	18, 22, 25	18, 26	5, 13, 22, 28	23, 42							pl, 45	26, 42, BCBC
1999	pl, mt	19, 22, 26, 42			42					17, 31, 42		8, 13, 21
2000	32, 42	17, 26, 42	42	42						12	pl, 41	pl
2001	1, 9, 18-9, IP	6, 20, 21	17, 23, 29, 42	18						17, 34	19, 20	pl, 42
2002	20, 26, 37, IP	3, 17-8, 20, 27	17-8, 26	24							18	pl
2003	18	18								25	18	13, BCBC
2004	22, 24, IP	42									19	17, BCBC
2005	18	13, 25									22	
Golden Eagle (Aquila chrysaetos)												
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec

1981	20, 28, 34, 37		8, 19, 31-2, 34	32, 34-5, 37-8	31, 34, 37-8	32, 34, 36, 38	27, 30, 33-4	2, 27, 33, 37-8	27, 34, 36	27, 37, 42	16, 32, 34, 37	7, 23, 27-8, 34
1982	20, 28, 33-4, 38	thruout	thruout	thruout	34, 46	34, 38, 48	34, 38, 48	36, 44, 48	25, 34, 48	34	22, 28, 48	20, 31, 34, 47
1983	32, 36, 38	thruout	36, 38, 42, 48	thruout	ft, 47-8	pl,ft	31, 34, 42-3	22, 32, 36, 48	34, 36	26, 28	19, 23	22, 26, 32
1984	2, 30, 32, 34-5	thruout	thruout	thruout	thruout	33-4, 36, 42		41, 48	22, 34-5, 48	thruout	thruout	thruout
1985	pl	28, 30, 34, 36	pl,ft	thruout	thruout	34-5, 37	33-4, 39, 42	37, 48	22, 36, 38, 47-8	thruout	thruout	thruout
1986	thruout	thruout	thruout	16, 34, 36, 48	thruout	33-4, 37	33, 36, 41	8, 36	6, 26, 36, IP	thruout	8, 36, 38	thruout
1987	thruout	thruout	12, 14, 25, 36	26, 36	30, 33, 39, 48	33, 48, IP	48	33, 43, 48	36-7, 48	thruout	thruout	thruout
1988	thruout	pl,ft	4, 16, 36-7	34, 36, 42, 48	33-4, 36, 48	33-4, 37, 42, 48	36	32, 48	26, 35	17, 27, 34, 43	thruout	11, 13, 20, 33
1989	pl	16, 25, 33	thruout	13, 16, 36, 48	thruout	34, 36, 48	36	30	26, 36	17, 34	16-8	pl, 48
1990	32, 36	pl,ft	20, 25, 34, 36	thruout	thruout	33, 48	26, 33, 48	33, 35	6, 32-5	18, 33	thruout	pl,ft
1991	11, 18, 33	33-4, 37, 42	thruout	18, 33, 35	3, 30, 32-3, 46	33		44	thruout	14, 18	13, 23, 30, 48	thruout
1992	22, 27, 36, IP	pl,ft	16, 32-4	33, 36, 42	36, 39	34, 38	16, 19, 32	32-3	16, 42, 44, IP	8, 17, 24, 26	4, 33	17, BCBC
1993	17, 20, 36, IP	16-20, 32	16, 32, 37	thruout	thruout	33, 36, 43, 48	23, 36, 44	18, 30, 36-7		17, 18	19-20, 26, 40	thruout
1994	18, 22, 32, 36	pl,ft	20, 36-7	13-4, 18,	26, 33, 36, IP	19, 35			35, U, IP	2, 8, 19, 41	pl	thruout
1995	pl,ft	16, 22, 29, 33	9, 15, 18	29, 35, 41, U	thruout	26, 36, 42, IP	36	34, 36	IP	40	8, 36	pl,ft
1996	23, 36, U	9, 26, 36, 40	pl, 36	17, 23, 36	32-3, 36, 40	33, 36	42	420000	17, 39, IP	13, 36, 42	30, 33, 42	thruout
1997	22-3, 30	pl,ft	22, 24, 30, 36	thruout	thruout	37	29	18, 36	31, 36, IP	17, 30, 36	pl,ft	32, 36, BCBC
1998	13, 24, IP	pl, 35	24, 30, 32, 36	23, 33, 36, U	31, 33, IP	33, 46	36, 42	36, 42	17, 36-7, 45, 47	thruout	thruout	21, 23, BCBC
1999	thruout	pl, 33	23, 36-7, 42	18, 23-4, 35-6	thruout	31, 47	31, 36, 42	33, 37, 42	31, 36-7, 42	7, 31, 33-4, 42	23	thruout
2000	3-4, 32, 36, 42	thruout	3-4, 26, 36, 42	thruout	thruout	33, 36, 42, IP	33-4, 36, 42	33, 35, 42	thruout	thruout	pl, 33	thruout
2001	thruout	pl,ft	26, 30, 34, 42	pl,ft	pl,ft	33-4, 36-7, IP	36, 46	24, 31, 35	23, 26, 31, 42	thruout	18-9, 32-4	pl,ft
2002	thruout	thruout	thruout	24, 26, 33, 42	thruout	30-1, 33, 36	31, 36-7, 42	34, 37, 42	24, 33, 40	18, 24, 29, 33	19, 24, 30, 33	thruout
2003	pl	19, 24, 27, 31		37	33-4, 37, 42	12, 48, IP	31, 33		17, 31-2, 47	32	pl,ft	pl,ft
2004	pl,mt	pl,ft	thruout	8, 12, 20	10, 32-3	20, 36, IP	31, 36	33, 37	17, 29, 33	20, 30-1	25-6, 36	0-2, 36, BCBC
2005	31, 38, IP	17, 24, 26, 28	22	36	33, 37	20, 26, 36, 47	36, 42, 47	24, 42	23, 36	22, 26, 37	20, 22, 26, 36	
Mississippi Kite (<i>Ictinia mississippiensis</i>)												
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1991					23							
2001						7						
Gyr Falcon (<i>Falco rusticolus</i>)												
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1994		2										
1995	U	2										
American Kestrel (<i>Falco sparverius</i>)												

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1981	pl	pl	pl	pl,ft	pl, 33-4, 37-8	pl, 33-4, 37	pl,ft	pl, 27-8, 38, 48	pl,ft	pl,32, 35	pl, 32	pl, 42
1982	11, 18-22, 28	18, 23, 29, 32	pl, 37	pl,ft, 37	thruout	pl,ft	pl,ft	pl, 37	thruout	14, 25	pl	pl
1983	pl	pl	pl	thruout	pl,ft	thruout	pl	12, 20, 22, 36	pl,ft	pl	pl	pl
1984	pl, 5, 11, 25, 27-8	23-4, 27-8, 31	pl	pl,ft	thruout	pl, 42	pl, 22-3, 30, 42	thruout	thruout	thruout	pl	pl
1985	pl	pl, 33	pl	pl, 32, 42	thruout	pl, 32, 42	pl, 33	pl, 47-8	pl, 48	pl	pl	pl
1986	pl	pl	pl, 36	pl, 36	thruout	4, 23, 36	23, 36	pl, 42	pl, 39,IP	pl	pl	pl
1987	pl	pl	pl	pl	thruout	pl, 36	pl, 36	thruout	pl	pl	pl	pl
1988	pl	pl, 33	pl	pl,ft	pl,ft	pl,ft	thruout	pl, 48	thruout	pl,ft	pl	pl
1989	pl	pl	pl	pl	thruout	thruout	pl, 36	pl, 43	thruout	pl	pl	pl
1990	pl	pl, 36	pl, 34	pl, 35-6, 40	pl,ft	pl	thruout	thruout	thruout	thruout	pl	pl, 35
1991	pl, 18, 27-8, 30	pl	pl	thruout	pl	thruout	pl, 41	8,U	thruout	pl	pl	pl
1992	pl	pl	pl	pl	thruout	pl, 33	4, 8, 22, 42,U	thruout	thruout	pl	pl	pl,ft
1993	pl	pl	pl	pl,ft	thruout	7, 8, 31-3,IP	19, 26, 31-2,U	pl,ft	pl, 36,IP	pl, 36	pl, 33	pl,ft
1994	pl	pl,ft	pl	pl, 33	thruout	12, 31,U	pl	23, 33,U	thruout	pl, 36	pl	thruout
1995	pl	pl	pl	pl, 35	pl,IP	26, 31-2	pl	20, 32	thruout	5, 8, 17, 23	pl	pl
1996	6, 23, 31-2	14, 21, 23, 25	pl	pl, 36	pl, 42	23, 32-3	4, 23, 32	5, 20, 24, 29,U	thruout	pl	pl	pl,BCBC
1997	pl,ft	pl, 37	pl	pl	pl,ft	pl,ft	pl	thruout	thruout	pl, 36	pl,ft	pl
1998	pl	13-4, 24-6	5, 13, 23, 26	thruout	pl,ft	thruout	thruout	thruout	23, 25-6, 36, 45	pl	pl,mt	pl
1999	pl,mt	pl, 42	thruout	pl	thruout	thruout	thruout	5, 34, 36-7, 42	thruout	8, 31, 34, 42	pl, 34, 42	thruout
2000	thruout	thruout	thruout	thruout	thruout	thruout	3, 26, 33-4, 42	thruout	thruout	thruout	pl, 34	pl,ft
2001	pl	pl,ft	thruout	pl,ft	thruout	22, 34, 36,IP	26, 30	25, 37	28, 23, 42,IP	thruout	thruout	pl,ft
2002	pl,mt	pl	pl, 42	pl,ft,mt	thruout	thruout	thruout	thruout	thruout	pl	pl	thruout
2003	pl, 37	pl,ft	12, 13	thruout	thruout	12, 32, 34,IP	8, 26, 33-4	31, 34	pl, 34	19-20, 26, 34	pl,ft	pl,ft
2004	pl,ft	pl, 34	pl	pl,ft	20, 23, 28, 32	thruout	pl,ft	pl,ft	pl	pl	22, 26, 30	pl,ft
2005	23, 31	pl	18, 23, 26	pl	pl	pl,ft	pl	thruout	pl,ft	20, 23, 26, 30	21, 23, 26	
Merlin (Falco columbarius)												
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1979			31	30	27			45	40	31, 35	4, 31	30
1980			18, 36	27					32		30	20, 25, 30, 36
1981	30	28, 30	19, 30	18, 20	27				32			
1982		24, 30	30		30					23	12	
1983	26, 31	30	30	47	47				36			
1984	40	24, 40	31	30, 40, 47	47						25	35
1985					35	33						BCBC
1986		30		31	42					24, 30	15	30

1987	30-1	11, 30	30		30		37			24		25, 31
1988		30	31	31, 41	31							13, 17, BCBC
1989			29	6	13, 24					13	12	BCBC
1990	30	27, 31	14, 36	30, 47								BCBC
1991				32-3								U
1992	U	2						42, 48	IP			
1993	29	29					40					8, 23, 26
1994	U	U										30
1995		23		23, 29, U							23	23, 25
1996		30	31							26		21, BCBC
1997	0.33	30	31	23, 30								12, 21, 30
1998	13, 30-1, 33	13, 30	30	31						2	34	
1999	30, 34	11	30		IP				47		4, 14	21, BCBC
2000	20	16	12		24, 32				22	30, 31		24, BCBC
2001		U	31						42		17	35
2002	19	30		23			42			32		35, 31, U, BCBC
2003	2	23		25							12, 17, 30	BCBC
2004			23, 30		42	42					14, 19, 30, 36	
2005		23		24					30, 32	2, 25, 30		
Peregrine Falcon (Falco peregrinus)												
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1979									36			34
1981				34								
1983				22	27							
1984					BSC							
1985									22			
1989				24	12				36		31	
1990					24		26				10	
1991			36	33, U	25, 32, 33	33, 42				23		
1992				U			8, 32	U	U	23		
1993	23	30	32, 36	32	11		32		32			32
1994				24	31	42		36				
1995				U	13, U	36			IP		23	13
1996	23	23		36								
1997					5, 23, 32, 36	23, 36	37		IP	36		
1998			31, 36	0.36	36		36		26, 35			

1999			24, 32-3					32	36			
2000				37	26, 42	36			23, 25	25		BCBC
2001	30				10, 36			32				
2002				12, 19	23, 32			42				
2003			32	5, 7, 13	18, 23	36	26		26			
2004			20	20, 23, 35, 36			32, 36		20, 23			23-4
2005				22	25, 31-2	36	26	8, 14	23			
Prairie Falcon (Falco mexicanus)												
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1981		8, 22	3, 8, 19, 32	28, 32	19, 21-2				19, 25, 35, 41	18, 27	16, 21, 38	
1982	3, 21-2, 29		17, 27, 32, 36	33, 36N	23, 36N, 37	33N, 40	28, 48	20, 48	47-8	21	12, 19, 21	22
1983	4, 12, 22, 27, 30, 34		34, 41	ft	ft	ft	18, 34, 48		36		22	4, 24, 32
1984	22, 24, 31	17, 22	27, 36	thruout	25, 36, 40	26, 31	48		17, 23, 35-6, 42, 47	17, 22, 35	27, 46	14, 23
1985	pl	22	thruout	21,ft	pl,ft	25, 30, 36, 47	7, 30, 36	36, 48	13, 24, 38, 46, 48	17, 26, 28	21-3	14, 17, 27, 30
1986		30, 32	19, 30, 36, 42	12, 36	36,BSC	36	6, 31	17	6, 25, 36	16, 32	3,19, 22-3, 26	pl,ft
1987	pl,ft		8, 12, 23		16, 36	36, 40	36	42	20, 30, 36, 44	32	19, 23, 30, 32	pl,ft
1988	21, 30	21, 23, 36	5, 26, 30, 36	36	22, 31,36	32, 36	22, 32, 36-7	48	14, 26, 35, 48	21	pl,ft	21,BCBC
1989	13, 26	2, 11, 22, 25-6	13, 36		36	36		36	19, 48	17	22, 24	13, 15, 18, 22
1990		8, 21, 23	30, 32-4, 36	4, 16, 31, 33-5	17, 25, 33, 36	33N	33	17	31, 33	13, 27, 33, 42	11	21, 24, 29-30
1991		18, 25		33	23, 32-3	2		42	18, 21	14, 23	2, 6	2, 23, 29,U
1992	U	31, 36	17, 21-2	36	36		32	12, 42, 48	30, 32, 36, 40,IP	26	20-3	20, 22,BCBC
1993	18, 21, 31	7, 21, 25, 30,U	2, 26, 42	22, 31-2,U	25, 36	32	32		U	U	27	13, 23, 29-30
1994		36,U	2		18, 36				IP	1, 12, 41	6, 36	pl
1995	9, 17, 22,U	23,U	U	29, 32	36,IP	26, 36			31,IP	19, 31		13, 23-4, 31
1996	31	18, 23, 26			42	36		6	17,IP	24, 36,U	31	21, 31,BCBC
1997	17, 20, 31	23, 26	22	31-2, 36	32, 36	32		31	31, 36	17, 28	pl	13, 30,BCBC
1998	13, 23, 25	23	12, 23			33	13, 32			20, 31	12, 23, 25	BCBC
1999	11, 18	25-6	30-3	32, 36	12	18, 27			26, 47	25, 33	12	24,BCBC
2000	17	17		6, 36	25, 31, 36	36		47	26, 48	12, 23	20, 22-3, 30,U	27, 30,BCBC
2001	20, 23, 26, 33	19, 22, 24	18, 21, 23		18, 36	36N, 42,IP	31, 36, 46	23	33	8,26	22	33, 37,BCBC
2002	26, 32,IP	23, 25, 35	17, 23	23, 32-3	32, 42	36	35-6		6, 33	12, 14, 25-6	23	22,BCBC
2003	6, 34	24, 31	34	35N	M				23		2, 8, 23	36,BCBC
2004	23-4	6, 11, 23, 27	23, 36-7		29-30, 32-3	16-7, 30, 33N	31	23, 33	36	6	5, 22, 25-6, 32	23, 33,BCBC
2005	23, 28	19, 23, 25	33	36	24, 33, 36	33	21		32	19, 22		